Copy 5

TOP SECRET

CSDIRER

NPIC/R-227.63 September 1963

PHOTOGRAPHIC INTERPRETATION REPORT

S-8658

LAUNCH COMPLEXES A AND B
AND CENTRAL SUPPORT FACILITY

TYURA TAM MISSILE TEST CENTER, USSR

Declassification review by NIMA/DOD






Handle Via TALENT - KEYHOLE Control Only

WARNING

This document contegns classified information affecting the national security of the United States with nother meaning of the espianoge lows U. S. Code Title 18, Sections 793 and 794. The low prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENTIKEYHOLE information. Its security must be maintained in accordance with FEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOP SECRET

NPIC /R-227 '63

LAUNCH COMPLEXES A AND B AND CENTRAL SUPPORT FACILITY TYURA TAM MISSILE TEST CENTER, USSR

INTRODUCTION

This report is one of a series which provides a reanalysis of the rangehead at the Tyura Tam Missile Test Center (TTMTC). It concerns Launch Complexes A and B, the Central Support Facility, and new construction activity east and west of Complex A (Figure 1) $_{\mbox{\scriptsize oldownote{D}}}$ Of particular interest are the probable guidance and electronics facilities associated with Complex A,

the probable guidance facility and the new building construction at Complex B, and the new rail and road construction east and west of Complex A. All previous coverages of the rangehead were reexamined, but the report is based primarily on photography of

25X1D 25X1D




FIGURE 1. TYURA TAM MISSILE TEST CENTER.

ILLEGIB

TOP

- 1 -

RUFF

SECRET CHESS RUFF

NPIC /R-227 '63

LAUNCH COMPLEX A

The launch area at Launch Complex A (45-54N 63-20E) was expanded 1,300 feet north-25X1D ward to include pad A2 sometime between 25X1D 25X1D The large plus-configured interferometer Pad A2 appeared complete in 25X1D and very few changes have been made at the complex (Figure 2) since then. The launch 25X1D tower at pad Al has been examined repeatedly on available TALENT and KEYHOLE photography to achieve a more detailed analysis of its size and configuration, but shadow and poor image quality have precluded determination of additional details. Numerous probable rail cars have been approaching pad A2. observed near the launch pads, but the small scale of the photography has precluded positive determination of their size and type. $\frac{1}{2}/\frac{2}{4}$ The launch pads appear to be separated by at least one fenceline on the photography of Pad A2 measures 25X1D approximately 150 feet square and is served by three probable rail spurs and a road. A structure is located on the north side of the pad, and another on the south side. The distance between the structures is 165 to 180 feet, which is approximately the same as the distance between the two larger structures on either side of pad E3 at Launch Complex E. Pad A2 may have been the forerunner of Complex E and the deployed Type

> ities to the rear of the pads at Complex E. An L-shaped probable guidance facility, located approximately 3,000 feet west of pad A2, was present on photography of and removed sometime prior

25X1D

25X1D

IIC ICBM sites. This conclusion is supported by

similarities between the electronics facilities

associated with Complex A and counterpart facil-

The legs of the L configuration, with an unidentified structure at each extremity, measured approximately 250 feet. A rectangular building with a probable dome was located at the vertex of the two legs. A line constructed between the extremities of the two legs would parallel the rail spurs and the sides of pad A2.

about 4,000 feet west of pad A2 was first evident on photography of but the entire facility could not be confirmed until It is almost identical to the in-

terferometer at Complex E, and has base legs approximately 1,200 feet long. One leg is parallel and the other is perpendicular to the rail spurs

The probable guidance facility about 5,000 feet west of pad A2 is peculiar to Complexes A and B at the TTMTC and the deployed Type I ICBM sites (Launch Points I-IV) at Plesetsk. 5/ It consists of three probable domes (or two domes flanking a central structure) on an oval pad, a long rectangular building, and two smaller buildings in a precisely surveyed pattern.

Other changes at Complex A since include two new identical structures in the instrumentation control center, seven new buildings on the east side of the support area, and construction of a road leading generally south from Assembly and Checkout Facility No 2. The two identical structures, probably added sometime between

800 feet apart and connected by a ground scar. A perpendicular to the scar would be oriented on an azimuth of 35 degrees,

A second 250- by 50-foot building, adjacent to the east side of the large rectangular blacktop area, was constructed in the support area between

Two other large and four smaller buildings also were erected in the support area during 25X1D 25X1D 25X1D


> 25X1D 25X1D

25X1D 25X1D

25X1D 25X1D

25X1D 25X1D

NPIC 'R-227 '63



25X1D

25X1D

25X1D

this period. The road leading southward from Assembly and Checkout Facility No 2 was built sometime between

It connects with

the main road leading to Complexes E, F, and G, and may indicate an association of the assembly and checkout facility with one or more of these complexes.

NPIC 'R-227 '63

LAUNCH COMPLEX B

Launch Complex B (45-59N 63-33E) is located 10 nautical miles (nm) east-northeast of Launch Complex A. The complex (Figure 3) was observed in an early-to-midstage of construction on TALENT photography of

and was essentially complete

on KEYHOLE photography of

Additions to the complex since have consisted chiefly of building construction. Six buildings were added in the housing section of the support area between


additional 15 to 20 buildings have been erected in the housing section since

Construction of a rail drive-in assembly and

25X1D 25X1D

25X1D 25X1D

25X1D



25X1D

TOP SECRET CHESS RUFF

25X1D

25X1D 25X1D 25X1D

8 NPIC 'R - 227 '63

and completed some-

25X1D 25X1D 25X1D

25X1D

25X1D

This building, measuring about 235 by 70 feet, is located at the terminus of the western branch of the rail "wishbone" configuration. The rail drive-through assembly and checkout building on the eastern branch of the "wishbone" configuration measures approximately 200 by 95 feet. Another large building, measuring 370 by 135 feet, is under construction inside the fenceline along the northeast side of the launch area. Construction was started sometime, between

checkout building in the launch area was started

during the summer of

The building is road served, and rail service could be facilitated easily. Only two other buildings at the rangehead, one at Complex A and one at Complex G, are larger than this building.

The launch area at Complex B resembles the deployed Type I ICBM sites more closely than the launch area at Complex A does. Both complexes at the rangehead have the same type of probable guidance facility, although the orientations are different. The probable domes at Complex A are oriented on an azimuth of approximately 40 degrees, and are parallel to the other guidance components and the launch pad; those at Complex B are oriented on an azimuth of and have an angle approximately to the other guidance components. The launch pad at Complex B is oriented on an All bearings are plus No counterparts to the abandoned L-shaped probable guidance facility or the plus-configured interferometer at Com-

plex A can be identified at Complex B or at the

deployed Type I ICBM sites (Launch Points I-

25X1D 25X1D 25X1D 25X1D

CENTRAL SUPPORT FACILITY

IV) at Plesetsk.

25X1D

25X1D 25X1D The Central Support Facility (Figure 4), located at 45-52N 63-27E, has undergone very little change since 3. The most significant changes are the two rail drive-in buildings added between and an additional rail spur inside the secured area. Poor image quality and the small scale of available photography preclude

determination of the function of the secured area, but it is the only double-fenced area at the range-head which apparently is not associated directly with the firing or handling of missiles. The borrow pits, inclined conveyer, and open storage space are still evident in the vicinity of the rail spurs serving the construction support area northwest of the secured area.

NEW CONSTRUCTION ACTIVITY

25X1D 25X1D Two areas of new construction activity have been identified at the TTMTC. One area, first observed on photography of

involves rail and road construction which originates northeast of the SAM Support Facility (Figure 5) and extends northward about 3 nm to a

point (45-55N 63-26E) about midway between Launch Complexes A and B. Parallel lines of rail and roadbed construction, approximately 90 feet apart, can be discerned along the entire right-of-way, except at the southern end where the railbed construction approaches the main

NPIC /R = 227 /63




FIGURE 4. CENTRAL SUPPORT FACILITY

25X1D

feeder line in a sweeping curve. There is no evidence of a junction with the main feeder rail line, and it is unlikely that any track has been laid in the railbed as yet. Approximately 20 unidentified objects, probably less than 40 feet in length, are discernible in a slightly irregular alignment along the southern terminus of the railbed construction. The roadbed con-

struction continues southward in a straight line and approaches the main hard-surfaced road at a right angle.

A roughly rectangular pattern of earth scarring approximately 500 by 300 feet can be identified parallel to, but slightly southeast of, the northern terminus of the rail and roadbed construction. Approximately 1,300 feet south-

NPIC 'R = 227 '63




FIGURE 5. CONSTRUCTION ACTIVITY EAST OF LAUNCH COMPLEX A

25X1D

25X1D 25X1D

southwest of the northern terminus, and adjacent to the railbed, is a roughly circular area of earth scarring approximately 400 feet in diameter, with a moderate amount of track activity leading from it to the railbed and surrounding areas. There was no additional activity observed at or near the northern terminus on photography of but the nature and location of the activity suggest that new missile launch facilities may be observed on subsequent photography.

The other area of new construction activity (Figure 6), which also involves rail and road

It extends northeastward 2 nm from a point 3.5 nm southeast of Launch Complex E, along the main feeder rail line and road to Tyura Tam, and terminates (45-54N 63-16E) 2.5 nm west of the launch area at Launch Complex A. There are two groups of buildings northwest of the rail and road construction termini; one consists of 4 buildings about 120 feet long, and the other of 11 buildings about 140 feet long. The purpose of the rail and road construction and the function of the buildings

construction, was begun sometime between

25X1D

TOP SECRET CHESS RUFF

are undetermined.

NPIC 'R-227 '63




FIGURE 6. CONSTRUCTION ACTIVITY WEST OF LAUNCH COMPLEX A

25X1D

NPIC/R-227/63

REFERENCES

PHOTOGRAPHY

25X1D

MAPS OR CHARTS

DESPA. Series 1. Sheet NL 41.5. 1st off, Jan 62 TOP SECRET RUFF

DOCUMENTS

25X1D

- CIA. PIC JR 2-60. Missile Launching Complex. Tyura Tam. 188R. Comparative Analysis Photography. Feb 60 (TOP SECRET CHESS)
- CIA. PIC JR-2 61, Launch Area "A", A Reanalysis of the Launching Structure, Missile Launching Complex Tyura Tam, USSR, Mar 61 (TOP SECRET CHESS)

25X1D

 NPIC. PIC JR-8-61, Tyura Tam Missile Test Center, USSR, A Comparison of Photography, Aug 61 (TOP SECRET CHESS RUFF)

25X1D 25X1D

4. NPIC. R-59 62, Missile Test Center, Tyura Tam. USSK, Changes and Additions Between Apr 62 (TOP SECRET CHESS RUFF)

RELATED DOCUMENTS

- NPIC. R-85-63, Launch Complex G. Tyura Tam Missile Test Center, USSR, May 63 (TOP SECRET RUFF)
- NPIC. R-172-63, Launch Complexes D, E, and F, Tyura Tam Missile Test Center, USSR, Aug 62 (TOP SECRET CHESS RUFF)
- NPIC. R-204-63, Launch Complexes C and H. Tyura Tam Missile Test Center, USSR, Aug 63 (TOP SECRET CHESS RUFF)

REQUIREMENTS

AF 2-63 OSI R-143 63 *

- OSI R-150 63

C-\$13-80,306

NPIC PROJECT

J-79 63 (partial answer)

_ 0 .